

## Ansell

Industrial / Industrial



### ORANGE HEAVY WEIGHT Flock Lined, 100% Natural Latex

- Increased puncture, tear and tensile strength
- 30 mL thick at palm for added protection against hazardous chemicals
- Recessed diamond grip for sure grip - wet or dry
- 100% cotton flock lined to increase user comfort
- **JOB-FITTED FOR:** fish processing, chemical processing, agriculture, petroleum refineries, plant maintenance and food processing

ITEM #	DESCRIPTION	SIZES
208	Orange Heavyweight, 30 mL	7, 8, 9, 10



### FLOCK LINED 200/400 Flock Lined, Natural Latex

- Excellent sensitivity and superior tensile strength
- Available in blue or yellow
- 100% latex, 20 mL at palm, excellent abrasion, puncture, tear and tensile strength and sensitivity
- 12" (FL200) and 14" (FL400) lengths
- Pattern or Pebble grip - good wet or dry grip
- **JOB-FITTED FOR:** food processing, chemical plants, janitorial, automotive assembly, plant maintenance, agriculture, petroleum refineries, canning, pharmaceutical plants

BLUE	YELLOW	DESCRIPTION	SIZES
254	297	Pebble grip, USDA	7, 8, 9, 10
255	298	Pattern grip, USDA	7, 8, 9, 10
480		Pattern grip, blue, 14"	7, 8, 9, 10



### CHEMI-PRO Flock Lined Neoprene over Natural Latex

- Neoprene over natural latex, excellent protection against a large range of chemicals, abrasion, puncture and tear resistance
- 13" length, 28 mL thick, added chemicals
- Low modulus provides greater comfort/dexterity and tactile sensitivity
- Recessed diamond embossed grip for added grip - wet or dry
- 100% cotton flock lining
- **JOB-FITTED FOR:** parts assembly, automotive battery and pesticide manufacturing, chemical plants, food processing and plant maintenance

ITEM #	DESCRIPTION	SIZES
224	Neoprene over Latex, blue-yellow 13", 28 mL, diamond grip	7, 8, 9, 10



### OMNI Flock Lined Neoprene/Latex Blend

- Durability and resistance to a broad range of chemicals and acids
- 12" length, 22 mL thick for medium to heavy duty use
- Excellent chemical, tear, puncture and abrasion resistance
- Pebble embossing for added grip - wet or dry
- 100% cotton flock lined
- **JOB-FITTED FOR:** food processing, automotive battery and pesticide manufacturing, chemical plants, plant maintenance

ITEM #	DESCRIPTION	SIZES
276	Neoprene / Latex Blend, green, 12", 22 mL, pattern grip	7, 8, 9, 10



# ANSELL RUBBER GLOVES

## Ansell

Industrial / Industrial



### CANNERS AND HANDLERS

#### Natural Latex

- Excellent dexterity, tensile strength and elasticity
- 19 mL thick for good chemical, abrasion and tear resistance
- USDA accepted for use in food processing
- **JOB-FITTED FOR:** poultry, food processing, small parts assembly, pharmaceutical manufacturing, plant maintenance

ITEM #	DESCRIPTION	SIZES
392	Pebble grip, natural, 12", 19 mL 6.5 - 11	
394	Pattern grip, natural, 12", 19 mL 7, 8, 9, 10	



### CONFORM™

#### Ambidextrous Disposable Latex

- 100% natural latex is cooler than vinyl, increases worker comfort
- Biologically absorbable cornstarch dusting powder eliminates latex granuloma, easy on-and-off
- USDA accepted for add-on use in food processing
- Chemical resistant to acids, alcohols, ketones and aldehydes
- Conventional ambidextrous style fits all in just two sizes - reduces stocking requirements
- **JOB-FITTED FOR:** laboratory analysis, technical work, intricate parts handling, food processing and handling, quality control, electronic assembly

ITEM #	DESCRIPTION	SIZES
4205	Conform, 5 mL, 100-box	S, M
5205	Conform, 5 mL, 100-box	M, L
6205	Conform, 5 mL, 100-box	XL

### SOL-VEX™


#### Highly Chemical Resistant Nitrile

- Exceptional protection against petroleum and chlorinated solvents
- Highly resistant to punctures, cuts and abrasion
- Liquid proof nitrile rubber
- Embossed sand batch grip
- Comfort curved fingers and contoured palm



- **JOB-FITTED FOR:** working with solvents, acids and caustics, food processing, degreasing, oil tank operations, clean-up of printing parts

ITEM #	DESCRIPTION	SIZES
37-145	13", 11 mL unlined, embossed	7, 8, 9, 10, 11
37-155	13", 15 mL unlined, embossed	7, 8, 9, 10, 11
37-175	13", 15 mL, flock lined, embossed	7, 8, 9, 10, 11
37-165	15", 22 mL, unlined, embossed	7, 8, 9, 10, 11
37-185	18", 22 mL, unlined, embossed	7, 8, 9, 10, 11



### DURA-TOUCH™

#### Disposable, High-Sensitivity, Shear Vinyl

- Superior sensitivity, excellent dexterity
- Protects against product or personal contamination
- Reusable
- Shear, seamless vinyl
- Solvent-free
- 2 styles, 2 thicknesses
- Sized to fit either hand very well
- **JOB-FITTED FOR:** food processing, research, inspection, shipping operations

### AMBI™

#### Disposable Vinyl

- Also available in thicker ML for more demanding environments

ITEM #	DESCRIPTION	SIZES
34-525	Duratouch, 5 mL, 100-box	S, M, L, XL
34-300	Amibi, 6.5 mL, 300 box	S, M, L, XL

## Ansell

Industrial / Industrial



### SOL-VEX PLUS™ "Premium" Nitrile Semi-Gauntlet

- New Nitrile formulation improves the chemical resistance of this glove
- New hand contoured form provides increased comfort with a Safer Grip
- Each glove air pressure tested for those areas requiring extra confidence
- Red colour helps with identification
- Fluck-free for comfort

• **JOB FITTED FOR:** areas requiring extra chemical resistance and the highest quality nitrile gloves.

ITEM #	DESCRIPTION	SIZES
37-900	15" (38 cm), 425 µm thickness, Safe Grip, contoured form	7, 8, 9, 10, 11



### SOL-KNIT™ Reinforced Nitrile

- Pugged and chemically resistant nitrile with a reinforced cotton liner – flexible and longwearing comfort
- Excellent resistance to chemicals, petrochemicals, acids, solvents and detergents – superior protection against tears, punctures, abrasion and cuts
- Interlock knit inner flexible coating and unique "cog" finish for improved product handling
- 12" or 14" gauntlet, 4 sizes
- **JOB FITTED FOR:** petrochemical, chemical manufacturing, automotive, food processing, aerospace, mining, transportation

ITEM #	DESCRIPTION	SIZES
39-122	12" fully coated gauntlet	7, 8, 9, 10
39-124	14" fully coated gauntlet	7, 8, 9, 10



32-105  
HYNIT™ Ultra-Cool  
Perforated Mesh Back

### HYNIT™ Light-Duty Puncture Resistant, Nitrile-Coated

- Protects against cuts and punctures, superior dexterity and flexibility
- Excellent dry grip
- Outwears cotton 10 to 1 and light leather 2 to 1
- Stretch interlock-knit lining
- Sewn nitrile for snug fit
- Available with perforated back for ventilation
- The Hynit Ultra-Cool has a perforated nylon mesh back for additional cooling
- **JOB-FITTED FOR:** assembly and handling, metal fabricating, stamping operations, cable and wire handling

MENS	DESCRIPTION	SIZES
32-105	Slip-on	6-1/2, 7, 7-1/2, 8, 9, 10
32-125	Perforated back	7, 7-1/2, 8, 9
32-135	Ultra-Cool, Slip-on	7, 7-1/2, 8, 9, 10



### EDGE™ Medium Duty, Puncture Resistant, Nitrile Dipped

- Extremely lightweight and comfortable
- Superior flexibility and finger dexterity
- Exceptional cut, puncture and abrasion resistance
- Outwears cotton up to 12 to 1, light leather 5 to 1 and PVC coated 3 to 1
- Outstanding dry grip
- **JOB-FITTED FOR:** replacement of cotton gloves, light leather and PVC in assembly, inspection, light fabrication, metal handling, shipping and receiving, maintenance shop and parts handling

ITEM #	DESCRIPTION	SIZES
40-400	Slip-on, fully coated	7, 8, 8-1/2, 9, 10
40-402	Slip-on, fully coated	7, 8, 8-1/2, 9, 10
40-607	Safety Cuff, fully coated	7, 8, 8-1/2, 9, 10



# ANSELL CUT RESISTANT GLOVES



## HYCRON<sup>®</sup>

### Heavy-Duty, Puncture-Resistant Nitrile Dipped

- Exceptionally tough nitrile coating
- Economical replacement for leather gloves – outwears leather 2:1
- Excellent protection against cuts, punctures, abrasion
- Superior flexibility and grip
- Curved fingers for natural fit
- **JOB-FITTED FOR:** handling punching materials, handling green logs and lumber, shearing, punch press, draw press operations, handling castings, cores and rebarbed metal

ITEM #	DESCRIPTION	SIZES
27-600	Knitwrist, palm coated	8, 10
27-602	Knitwrist, fully coated	8, 10
27-607	Safety Cuff, palm coated	8, 10
27-605	Safety Cuff, fully coated	8, 10



## HYLITE<sup>™</sup>

### Replaces Cotton, Light Leather and PVC

- Tough nitrile compound superior cut, puncture and abrasion resistance
- Outwears cotton up to 12 to 1, light leather 5 to 1 and PVC coated 3 to 1
- Outstanding dry grip unique textured surface
- Wide range of numerical sizes
- Economically priced
- **JOB-FITTED FOR:** assembly, inspection, fabrication, metal handling, shipping and receiving, packaging, maintenance, parts handling

ITEM #	DESCRIPTION	SIZES
47-400	Knitwrist, palm coated	7, 8, 8-1/2, 9, 10
47-402	Knitwrist, fully coated	7, 8, 8-1/2, 9, 10



## KIT CARE

### Heavy-Duty, Cut-Resistant, Rubber-Dipped

- Superior cut resistance and flexibility, fit provides greater dexterity
- Excellent dry grip
- Provides maximum cut protection
- Soft knit jersey liner provides snug fit, increased comfort
- Wrinkle finish for non-slip grip
- **JOB-FITTED FOR:** glazing, sand blasting, handling of glass, scrap metal, large sheet cutting knives

ITEM #	DESCRIPTION	SIZES
809	Safety Cuff, palm coated	Men's



G 620

**Ansell**  
Industrial / Industrial

## GRAB-IT<sup>®</sup>

### Medium-Duty, Cut Resistant, Rubber Dipped

- Outwears cotton and leather gloves when handling smooth, slippery or abrasive materials, excellent grip
- Soft knit jersey lining provides superior comfort and flexibility
- Extra thick coating provides long service life and high cut resistance
- **JOB FITTED FOR:** general use, handling scrap metal, sheet metal, castings, cores, construction materials

ITEM #	DESCRIPTION	SIZES
6-660	Knitwrist, fully coated	10
6-620	Safety Cuff, palm coated	10
6-622	12" gauntlet, fully coated	10



## PVA™ - POLY-VINYL ALCOHOL Organic Solvent Resistant Gloves

- Excellent protection from organic solvents such as aromatics and chlorinated – the types which quickly deteriorate rubber nitrile and PVC coated gloves. Polyvinyl alcohol coating is chemically inert to strong organic solvents improved wear
- Half the weight of neoprene gauntlets, excellent dexterity
- **JOB-FITTED FOR** degreasing aluminum, cleaning in organic solvents including ketones, electronics, laboratories, handling of strong organic solvents

Note: PVA is water soluble.

ITEM #	DESCRIPTION	SIZES
15-552	12" gauntlet, fully coated	9
15-554	14" gauntlet, fully coated	9



## WINTER MONKEY GRIP® Heavy Duty Cold Resistant, Vinyl Dipped

- Maximum warmth and comfort at sub-zero temperatures
- Maintains flexibility and dexterity in cold temperatures, won't crack or stiffen
- Foam barrier blocks out cold, soft seam free lining for comfort
- **STYLES:** Mitts or gloves, knit wrist and safety cuff
- **COLORS:** tan/brown, Hi-Viz fluorescent orange
- **JOB-FITTED FOR** warehouse, yard or field work, and storage winter transportation

ITEM #	DESCRIPTION	SIZES
23-191	Knitwrist, fully coated	10
23-193	Safety Cuff, fully coated	10



## CRUSADER® Medium Duty Heat Resistant, NBR Coated

- Superior heat protection in the range 100° to 200°C (200° to 400° F)
- Dramatically better wear than cotton or leather
- Exclusive NBR coating helps protect against abrasion, cuts and snags to extend wear
- Wears an average of 4 times longer than 24 oz cotton H/L gloves
- **JOB-FITTED FOR:** furnace work, milling, moulding, die casting, bakeries
- **DUT-PERFORMS:** leather, quilted cotton

ITEM #	DESCRIPTION	SIZES
42-325	10" Slip-on, palm heat protection	9, 10
42-445	10" Slip-on, palm and back of hand heat protection, reinforced thumb catch	9, 10
42-474	Same As #42-445, 13" gauntlet	9, 10



## POLARGRIP® Medium-Duty, Insulated PVC

- For cold and wet conditions
- Premium liquid proof vinyl coating stays flexible at low temperatures
- Double dipped, good grip, wet or dry
- Thick foam insulation keeps out cold
- Natural hand shape for comfort
- **JOB-FITTED FOR:** transitional or construction and material handling, fishing, oil and fuel handlers

ITEM #	DESCRIPTION	SIZES
23-600	TAN, Safety Cuff	10



# ANSELL SPECIALTY GLOVES



## SCORPIO®

### Neoprene Coated, Knit Liner

- Chemical resistant neoprene with comfortable inter-liner knit liner
- Excellent dexterity
- Rough topped, sure grip
- **JOB FITTED FOR:** petrochemical refining, cleaning and maintenance, sample collection, material handling, chemical handling

ITEM #	DESCRIPTION	SIZES
8-352	12" gauntlet, fully coated	7, 8, 9, 10
8-354	14" gauntlet, fully coated	8, 9, 10

## Ansell

Industrial / Industrial



## SNORKEL®

### Heavy-Duty Liquid Resistant PVC

- Outstanding wear and comfort, flexible
- Superior resistance to animal fats, fuel oils, petrochemicals
- Rough finish, excellent wet and oily grip
- Won't crack or stiffen in oil
- Natural hand shape, soft, absorbent jersey liner for comfort
- **JOB-FITTED FOR:** scallop fishing, filling/flush handling, fuel oil recovery, handling grease/oil coated materials

ITEM #	DESCRIPTION	SIZES
4-400	Knit wrist, palm coated	10
4-404	Knit wrist, fully coated	8, 10
4-412	12" gauntlet, fully coated	10
4-414	14" gauntlet, fully coated	10
4-418	18" gauntlet, fully coated	10



## NEOX®

### Medium-Duty Neoprene

- Abrasion, cut and chemical protection, outwears regular coated gloves
- Rough dip, excellent grip
- Curved fingers and wing thumb provide comfort and working ease

## REDMONT®

### Heavy-Duty Neoprene

- **JOB FITTED FOR:** petrochemical, plating, metal fabrication, handling of oils, acids, caustics, alcohols and solvents

ITEM #	DESCRIPTION	SIZES
9-909	Knitwrist, fully coated	10
9-922	12" gauntlet, fully coated	10
9-924	14" gauntlet, fully coated	10
9-430	31" shoulder gauntlet, fully coated	10
19-934	14" gauntlet, fully coated	Men's
19-938	16" gauntlet, fully coated	10



52-547

## HYD-TUF

### Acrylonitrile on Jersey Liner

- Long wearing protection against snags, punctures, cuts and abrasion
- Outwears medium leather
- Soft jersey lining ensures wearer comfort and absorbs perspiration
- Excellent dry grip, clutch back
- Repels dust, oil, grease and dirt
- Machine washable. Won't shrink, stiffen or lose its properties
- **JOB FITTED FOR:** assembling metal parts and components, handling cores and castings, shipping and receiving, maintenance, construction

ITEM #	DESCRIPTION	SIZES
52-542	Knitwrist, palm coated, cotton back	9, 10
52-547	Safety Cuff, palm coated, cotton back	9 - 10-1/2



## Easy Flex™

**Ansell**  
Industrial / Industrial

If you are Still Using Cotton Gloves...Get a Grip

A new level of comfort and performance for light duty applications. Superior dry grip and better resistance to snags, punctures, abrasion and cuts. Light and flexible

- Light nitrile coating
- Ergonomic design
- Soft knitter
- Machine washable
- **JOB FITTED FOR:** assembly, handling, warehousing

ITEM #	DESCRIPTION	SIZES
47-200	10". Knit Wrist, 12 bag; 144-cs	7, 8, 9-12, 9, 10

## Grab-It Safe™


Cut and Puncture Resistance; Superior Flexibility, Good Wet and Dry Grip

Latex coating over cut and puncture resistant cotton / Kevlar® fabric. Extra protection in the thumb crotch area. The latex coating provides excellent dry and wet grip for secure handling of slippery, sharp-edged materials. Multi-pore latex minimizes abrasion on the working surface.



- Safety cuff protects the wrist and forearm
- Excellent cut and puncture resistance plus superior flexibility and good wet and dry grip
- Machine washable
- Outlasts ordinary leather, Kevlar knit gloves
- **JOB FITTED FOR:** handling sharp, slippery materials, glass-metal

ITEM #	DESCRIPTION	SIZES
26-562	11-1/2", Safety Cuff	8, 9, 10



## NITRASAFE™

Cut, Puncture and Abrasion Resistant, Light Oil Grip

In sharp, oily, puncturing and abrasive jobs the cut resistant Nitrile line outperforms leather and knit liners.

- Nitrile coating on cut resistant fabric
- Superior dry grip

- Cut, puncture, abrasion resistance combined with comfort, grip and flexibility
- **JOB FITTED FOR:** castings, corrug. metal fabrication, glass, lumber

ITEM #	DESCRIPTION	SIZES
28-359	Fully Coated, Safety Cuff	8, 9, 10
28-350	Foam, Palm Coated, Safety Cuff	8, 9, 10



## Touch N Tuff™

Powder-free 100% Thin mill Nitrile... Comfort, Durability and Quality

Disposable nitrile gloves set a new standard in comfort, durability, quality and cleanliness. Available powder-free or lightly powdered. High resistance to thousands snags, rips, cuts and abrasions and offer superior splash protection against irritating chemicals.

- Synthetic nitrile contains no protein - a longer life
- 100% thin mill nitrile for superior toughness and flexibility
- Comply with Federal regulation for lead content
- Beaded cuff provides a snug fit and helps donning
- Relaxed, comfortable fit
- 100% latex, 100% nitrile
- **JOB FITTED FOR:** assembly, small parts handling, laboratory, offices

ITEM #	DESCRIPTION	SIZES
92-500	Powdered, 4 mL, 9-1/2"	S, M, L, XL
92-600	Powder-Free, 4 mL, 9-1/2"	S, M, L, XL